Ways To Cope With Stress And Negative Emotions

- Have a talk with family, friends, or other trusted advisors about your concerns and ask for them for their support.
- Take 15 to 20 minutes a day to sit quietly, breathe deeply and think of a peaceful scene.
- Learn to accept things you can't change. You don't have to solve every problem.
- Count to 10 before answering or responding when you feel angry.
- Don't use smoking, drinking, overeating, drugs or caffeine to cope with stress. These will only make things worse.
- · Look for the good in situations instead of the bad.
- Exercise regularly. Do something you enjoy, like walking, swimming, jogging, golfing, walking a pet, tai chi or cycling. Check with your doctor to determine what activity level is right for you.
- Think ahead of what may upset you and try to avoid it. For example, spend less time with people who bother you. If you're still working or volunteering, cut back on your hours and adjust your schedule to avoid driving in rush-hour traffic.
- Learn to say no. Don't promise too much. Give yourself enough time to get things done.
- Join a support group. For example, people with heart disease, for women, for men, for retired persons, or some other group you identify with.
- Inform your doctor if you can't cope on your own.

For appointments and enquiries, please call the CGH Appointment Centre at Tel: (65) 6850 3333

CGH Appointment Centre operating hours:

8.30 am to 8.00 pm (Monday to Friday) 8.30 am to 12.30 pm (Saturday & Sunday) Closed on Public Holidays


> For more information, please visit http://www.cgh.com.sg



2 Simei Street 3 Singapore 529889
Tel: 6788 8833 Fax: 6788 0933 www.cgh.com.sg
Reg No 198904226R

All information is valid at the time of printing (June 2011) and subject to revision without prior notice.









Occupational Therapy Activity Restrictions After A Heart Attack

What Is A Heart Attack?

A heart attack occurs when blood vessels that supply blood to an area of the heart is blocked.

What Happens After A Heart Attack?

The heart takes about 4 to 6 weeks to repair itself with scar tissue. While early physical activity is important to aid your recovery, you should also be mindful not to overstrain your heart.

Here are some guidelines to help in your recovery:

You should restrict your activities to not more than 4 METS for the first month.

✓	V	×
2-2.9 METS	3-3.9 METS	≥4 METS
Stretching exercises	Standing up and down from floor	Cycling, swimming, golf
Showering	Fishing	Gardening, general
Hair styling, shaving	Sweeping, mopping	Dancing (social)
Washing dishes	Ironing	Cleaning, vigorous effort
Cooking	Walking downstairs	Climbing stairs, no carrying
Typing and desk work	Carrying objects <10kg	Carrying objects >10kg

METS or metabolic equivalent is the ratio of the resting metabolic rate to the metabolic rate while performing an activity. The higher the MET value, the more energy is used by the body.

Do's 🗸

 Learn to take your pulse. You may perform physical activities of up to about 20 beats above your resting pulse rate

OR

- Perform an activity up to a moderate intensity (see Rate of Perceive Exertion scale)
- When doing housework or exercise, start with 5-10 minutes at a time. You may increase the duration as you go along.
- You may progress to an activity of higher METS if a lower METS activity feels easy.

Don'ts X

- Do not carry more than 10 kg.
- Do not climb multiple flights of stairs at one go.
- Do not carry a load when going upstairs.
- **Do not** strain and hold your breath.
- **Do not** hold arms above shoulder level for a long time.

Rate of Perceived Exertion (RPE)

- 0 nothing at all
- 0.5 barely noticeable
- 1 very light
- 2 light
- 3 moderate
- 4 hard
- 5 heavy
- 6
- 7 very heavy
- o o
- 9
- 10 very, very heavy

Important Activities To Note:

- Driving
 - Do not drive for the first month.
 - When you start driving again, avoid stressful situations such as driving at night, peak hours, bad weather, or high speeds.
- Air travel
 - o Do not travel by air for several weeks after a heart attack.
 - Travel with a companion, carry GTN (nitroglycerine) with you and avoid rushing by requesting airport transportation.
- · Sexual intercourse
 - You may have sexual intercourse with your partner when you can climb 2 flights of stairs easily without symptoms (eq. breathlessness).
- Work
 - Your doctor will certify when you are fit to return to work.